





NiGLON[™]

Introducing The Premium Edge S Range

Brushed Chrome, Polished Chrome, Antique Brass & Matt Black

A contemporary low-profile design, manufactured with stainless steel faceplates, in 4 luxurious finishes.

Installed in either a traditional or contemporary property, you will find that the Premium Edge S range has been designed perfectly to compliment any style of interior décor. The unobtrusive and sophisticated look will enhance other room features such as light fittings, door handles or even items of furniture, to meet the demands of the most discerning clients.

Now read about all the features that help make this range stand out from the crowd.

Finish Insert Brass (-A



Product Code

*If no insert colour is needed just add an M to the end

How to order

- Each product in the Premium Edge S range is available in Brushed Chrome (-BCM), Polished Chrome (-PCM), Matt Black (-MBM) & Antique Brass (-ABM).
- Each finish comes with one insert colour option (Brushed Chrome has two for some products), Brushed Chrome, Grey, (-BCG) or Brushed Chrome Black (-BC), Polished Chrome, White (-PCW), Matt Black (-MBB) & Antique Brass, Black (-ABB)
- When ordering individual items make sure to add on the correct finish and insert colour codes to guarantee you receive the desired product.
- The example shows the code for D-S132DPS-PCW a two gang socket outlet in polished chrome with white inserts.

Premium Edge S Product range

Features



USBs

Smart USB socket outlets are able to detect USB devices when plugged in and adjusts charging current, turn to standby when device is fully charged and have the ability to protect the devices in the event of an overload. **Available in 4.8A A+C & 45W** versions for super fast charging.




Low Profile Design 4.5mm | Stainless Steel Plate | Four great plate finish options | Metal To Metal Rockers (Reduces SKU's) | Matrix20 Compatible



LEDs

Where applicable flush red neon LED indicators have been fitted, giving a clean sophisticated look to the range. The use of neon LEDs is unobtrusive in daylight and produces a soft glow in the dark.



Modular Switches

All 10AX light switches are constructed using a highly adaptable modular design, allowing reconfiguration on site, without the need for a full grid system.



Edge to Edge Gasket

Concealed edge to edge gasket to prevent tarnishing of the plate where moisture is present during installation, such as on freshly plastered or painted walls.



Metal to Metal Rockers

Creating a sleek looking & lavish faceplate. No visible plastic switch surrounds.



10AX Light Switches - 1 Gang 2 Way

Change the ambience within any room when controlling lighting sources with the sleek and versatile Premium Edge S range of 10AX switches. Standard of Compliance BS EN 60669-1

Mounting Boxes 25mm deep

D-SP612 - 1 Gang 2 Way

Certified - intertek



D-SP612-BCM Brushed Chrome D-SP612-PCM Polished Chrome

me D-SP612-ABM Antique Brass

D-SP612-MBM Matt Black

2 Gang 2 Way

D-SP622 - 2 Gang 2 Way



D-SP622-BCM Brushed Chrome D-SP622-PCMD-SP622-AEPolished ChromeAntique Brass

D-SP622-MBM Matt Black



3 Gang 2 Way

D-SP632 - 3 Gang 2 Way



D-SP632-BCM Brushed Chrome D-SP632-PCM Polished Chrome

CM D-SP632-ABM ome Antique Brass D-SP632-MBM Matt Black



Premium Edge S is manufactured using high quality electrical components and materials, backed up with a 20 year guarantee^{*}, giving you the confidence that these products will stand the test of time.

*2 year guarantee on electronic products.



Premium Edge S Product range





1 Gang Intermediate



D-SP6INT-BCM Brushed Chrome D-SP6INT-PCM Polished Chrome

PCMD-SP6INT-ABMomeAntique Brass

ABM D-SP6INT-MBM Matt Black

Intermediate Switch Module & Blanks

Premium Edge S Modular switches are highly popular and versatile light switches that are used in range of different environments. Standard of Complian BS EN 60669-1

Mounting Boxes 25mm deep

Certified - intertek

D-SMINT - Intermediate Switch Module

D-BLNK - Blank Switch Module

D-SMINT-PC Poished Chrome D-SMINT-PC Poished Chrome D-SMINT-AB Antique Brass



D-BLNK-PC Polished Chrom	0	D-BLNK-AB Antique Brass	0
O-BLNK-PG	0	D-BLNK-AF	0

D-BLNK-MB Matt Black

D-SMINT-BC Brush

0

(1)



Dimmer Plates & Knobs

Premium Edge S dimmers allow you to set the scene Standard of Compliance Type BS EN 60669-1 Leading Edge and create a relaxing ambience in any room. Mounting Boxes Suitable for mains & low voltage lighting 35mm deep min When using LED lighting check with the manufacturer for compatibility prior to installation. **D-DP1 -** 1 Gang Dimmer Plate & Knob Certified - intertek 6 D-DP1-BC D-DP1-PC D-DP1-AB D-DP1-MB Brushed Chrome Polished Chrome Antique Brass Matt Black

2 Gang

D-DP2 - 2 Gang Dimmer Plate & Knobs (2)







4 CLASSY PLATE FINISH

3 Gang



Dimmer Plates, Knobs & 240V LED Dimmer Module - 4 Gang

Premium Edge S dimmers allow you to set the scene and create a relaxing ambience in any room.

Suitable for mains & low voltage lighting When using LED lighting check with the manufacturer for compatibility prior to installation.

D-DP4 - 4 Gang Dimmer Plate & Knobs (4)

Standard of Compliance BS EN 60669-1 Type

Leading Edge + Trailing

Edge Compatibility

Mounting Boxes 35mm deep min

Certified - intertek




240V LED Dimmer Module

Supply Voltage 200-250V AC Compatible with LED, Halogen, Incandescent, CFL & GLS Programmable 3 Mode settings for improved compatibility Extra In-built overload protection Warranty

3 Years Dimensions 70 x 70 x 47mm



LEDDIM120 2 Way 0-120W LED Dimmer





INGLOC

6

UKCE

Metal to Metal Rol

Contorms with Relevant

13A Switched Socket Outlet - 2 Gang

Make powering your home easy with this Premium Edge S Switched socket outlet.

BS 1363-2

35mm deep min

D-S132DPS - 2 Gang DP (twin earths)

Certified - intertek



D-S132DPS-BCG Brushed Chrome, Grey Inserts D-S132DPS-BC Brushed Chrome, Black Inserts D-S132DPS-PCW Polished Chrome

D-S132DPS-ABB Antique Brass

D-S132DPS-MBB Matt Black

PREMIUM EDGE S



Premium Edge S Product range

13A Switched Socket Outlets - 1 Gang

Make powering your home or charging your devices easy with this range of single, double and USB Sockets.

D-S131DPS - 1 Gang DP Switched

Certified - intertek

Mounting Boxes

35mm deep min

Standard of Compliance BS 1363 & BS EN 62368



D-S131DPS-BCG Brushed Chrome, Grey Inserts D-S131DPS-BC Brushed Chrome, Black Inserts D-S131DPS-PCW Polished Chrome

PCW D-S131DPS-ABB Antique Brass

B D-S131DPS-MBB Matt Black

13A Switched Socket Outlets - 1 Gang with USB

Standard of Compliance BS 1363-2 & BS EN 62368

Mounting Boxes 35mm deep min

D-S131USB - 1 Gang with 2.1A USB Port

Certified - intertek



D-S131USB-BCG Brushed Chrome, Grey Inserts D-S131USB-BC Brushed Chrome, Black Inserts D-S131USB-PCW D-S131USB-ABB Polished Chrome Antique Brass D-S131USB-MBB Matt Black

t 0121 711 1990 | f 0121 711 1344 | sales@niglon.co.uk



2 Gang with USB (3.1A)

Standard of Compliance BS 1363-2 & BS EN 62368

Mounting Boxes 35mm deep min

D-S132USB3C - 2 Gang 1 x USB-A type & 1 x USB-C type ports (3.1A)

Certified - intertek



D-S132USB3C-BCG Brushed Chrome, Grey Inserts D-S132USB3C-BC Brushed Chrome, Black Inserts D-S132USB3C-PCW Polished Chrome D-S132USB3C-ABB Antique Brass D-S132USB3C-MBB Matt Black

Smart USB -

Standby when device is fully charged
Detects USB devices & adjusts charging

Protects the devices in the event of an overload.



TYPE C USB (3.1A)

The **Type C** USB connector is small and discreet & able to be inserted either way up without any risk of damage. Slowly we are transitioning over from conventional Type A Connectors to the faster charging Type C.



EXPERIENCE LUXURY

Our **Premium Edge S** range of switches & sockets feature a contemporary low-profile design, manufactured with stainless steel faceplates, available in four luxurious finishes.

- Low Profile Design 4.5mm Stainless Steel Plate
- Four Great Plate Finish Options Metal To Metal Rockers
- Matrix20 Compatible





0



Comprehensive Grid System Also Available

Including Modules, Rockers & Mounting Kits



Visit - www.niglon.co.uk for further details







13A USB Switched Socket Outlets - 2 Gang (4.8A)

Double Switched Socket with USB ports offers advanced functionality and effortless style for every room in your home or workplace.

Standard of Compliance BS 1363-2 & BS EN 62368

Mounting Boxes 35mm deep min

Certified - intertek

D-S132USB4C - 2 Gang with 1 x Type A & 1 Type C USB (4.8A)

D-S132USB4C-BCG Brushed Chrome, Grey Inserts D-S132USB4C-BC Brushed Chrome, Black Inserts D-S132USB4C-PCW Polished Chrome D-S132USB4C-ABB Antigue Brass D-S132USB4C-MBB Matt Black

Smart USB -

Standby when device is fully charged

- Detects USB devices & adjusts charging
- Protects the devices in the event of an overload





2 Gang (45W)

D-S132USB45 - 2 Gang with 1 x Type A & 1 Type C USB (45W)

Certified - intertek

Mounting Boxes 35mm deep min

Standard of Compliance BS 1363-2 & BS EN 62368





D-S132USB45-BC Brushed Chrome, Black Inserts

D-S132USB45-PCW Polished Chrome D-S132USB45-ABB Antique Brass D-S132USB45-MBB Matt Black

Smart USB -

Standby when device is fully charged
Detects USB devices & adjusts charging

Protects the devices in the event of an overload



TYPE C USB (45W)

The **Type C** USB (45W) connector is perfect for power hungry devices such as laptops which can now be charged straight from the socket eliminating the need for bulky adaptors.

NiGLON[™]

Premium Edge S Product range

5A Unswitched Socket Outlet - 1 Gang

An essential addition to the Premium Edge S range available in 5 options to suit any environment.

Standard of Compliand BS 546

35mm deep min

D-S51 - 1 Gang 5A Unswitched Socket

Certified - intertek

Matt Black



Polished Chrome

D-S51-BCG Brushed Chrome, Grey Inserts D-S51-BC Brushed Chrome. Black Inserts

13A Fused Connection Units - With Flex Outlet

Hardwire an array of appliances safely and in style with this range of fused connection units.

Standard of Compliance BS 1363 with BS 1362 fuse

Mounting Boxes 35mm deep min

D-FS13F - 13A Unit with Flex Outlet

Certified - intertek



D-FS13F-BCM Brushed Chrome

t 0121 711 1990 | f 0121 711 1344 | sales@niglon.co.uk

D-FS13F-PCM Polished Chrome D-FS13F-ABM D-FS13F-MBM Antique Brass Matt Black

Antique Brass



Switched With Flex Outlet

Switched With LED & Flex Outlet

D-FS13DPF - 13A Switched with Flex Outlet



D-FS13DPF-BCM Brushed Chrome D-FS13DPF-PCM Polished Chrome

PF-PCM D-FS13DPF-ABM Antique Brass

M D-FS13DPF-MBM Matt Black

D-FS13DPFN - 13A Switched with LED & Flex Outlet



D-FS13DPFN-BCM Brushed Chrome **D-FS13DPFN-PCMD-FS13DPFN-ABM**Polished ChromeAntique Brass

D-FS13DPFN-MBM Matt Black



13A Fused Connection Units



D-FS13 - 13A Unit

Certified - intertek



D-FS13-BCM Brushed Chrome D-FS13-PCM Polished Chrome

e Antique Brass

D-FS13-MBM Matt Black D-FS13DP-BCM Brushed Chrome D-FS13DP-PCM Polished Chrome

D-FS13DP-ABM Antique Brass D-FS13DP-MBM Matt Black

D-FS13DP - 13A Switched Unit

13A Switched Unit





Switched With LED

D-FS13DPN - 13A Switched with LED



D-FS13DPN-BCM Brushed Chrome D-FS13DPN-PCM Polished Chrome

rome D-FS13DPN-ABM Antique Brass

ABM D-FS13DPN-MBM Matt Black



10AX Fan Isolator

Ideal for providing a safe and simple method of isolating fan units in en-suite bathrooms, family bathrooms, utility rooms, store rooms etc.

Standard of Compliance BS EN 60669-1

Mounting Boxes 25mm deep min

D-SP6FAN - 3-Pole 'Fan' Isolator

Certified - intertek



D-SP6FAN-BCM Brushed Chrome D-SP6FAN-PCM Polished Chrome

D-SP6FAN-ABM Antique Brass D-SP6FAN-MBM Matt Black



20AX DP Switches Single

An elegant solution for the isolation of fixed appliances.

Standard of Compliance BS EN 60669-1

Mounting Boxes 35mm deep min

D-SP20DPN - 20A DP With LED Indicator

Certified - intertek



D-SP20DPN-BCM Brushed Chrome D-SP20DPN-PCM Polished Chrome

-PCM D-SP20DPN-ABM ne Antique Brass

BM D-SP20DPN-MBM Matt Black

45A DP Switches Single

These switches come with flush LED neons and are suitable for domestic or commercial applications.

Standard of Compliance BS EN 60669-1

Mounting Boxes 47mm deep min

D-SP45DPN - 45A DP With LED Indicator

Certified - intertek



D-SP45DPN-BCM Brushed Chrome D-SP45DPN-PCM Polished Chrome D-SP45DPN-ABM Antique Brass

D-SP45DPN-MBM Matt Black



45A Cooker Control Unit

Isolate your appliances with one of our 45A cooker switches. These come complete with flush LED neon lights as standard.

Standard of Compliance BS 4177 Mounting Boxes 47mm deep

D-CC45DPN - Metal Rocker Cooker Control Unit With LED & 13A Socket



D-CC45DPN-BCM Brushed Chrome, Grey Inserts D-CC45DPN-BC Brushed Chrome, Black Inserts D-CC45DPN-PCM D-CC45DPN Polished Chrome Antique Brass

D-CC45DPN-ABM D-CC45DPN-MBM Antique Brass Matt Black







D-SP45LDPN-BCM Brushed Chrome

Polished Chrome

Antique Brass

Matt Black



Premium Edge S Product range

Standard of Compliance BS EN 61558

Mounting Boxes 47mm deep



D-DVSS-BCMD-DVSS-BCD-DVSS-PCMBrushed Chrome,
Grey InsertsBrushed Chrome,
Black InsertsPolished Chrome

D-DVSS-ABMmeAntique Brass

D-DVSS-MBM Matt Black



Co-Axial & Satellite Socket - 1 Gang

A selection of media sockets perfect to help connect or expand data, satellite TV & radio systems around the home or office. Standard of Compliance TV - BS 3041 & BS EN 6312-2. Satellite - BS EN 50083-2

Mounting Boxes 25mm deep

D-TV1 - 1 Gang TV/FM Socket Isolated

Certified - intertek



D-TV1-BCG Brushed Chrome, Grey Inserts D-TV1-BC Brushed Chrome, Black Inserts

Wiring Accessories

D-TV1-PCW Polished Chrome D-TV1-ABB Antique Brass M

D-TV1-MBB Matt Black 2 Gang

D-TV2 - 2 Gang TV/FM Socket Isolated



D-TV2-BCG Brushed Chrome, Grey Inserts D-TV2-BC Brushed Chrome, Black Inserts D-TV2-PCW D-TV2-ABB Polished Chrome Antique Brass D-TV2-MBB Matt Black

www.niglon.co.uk



Co-Axial & Satellite Socket - 1 Gang



Certified - intertek

Mounting Boxes 25mm deep

Standard of Compliance TV - BS 3041 & BS EN 6312-2. Satellite - BS EN 50083-2



D-SAT1-BCG Brushed Chrome, Grey Inserts

nserts

D-SAT1-PCW Polished Chrome

e Antique Brass


D-SAT1-MBB Matt Black 2 Gang

D-TV+SAT - 2 Gang TV & Satellite Socket



D-TV+SAT-BCG Brushed Chrome, Grey Inserts D-TV+SAT-BC Brushed Chrome, Black Inserts D-TV+SAT-PCW D-TV+SAT-ABB Polished Chrome Antique Brass D-TV+SAT-MBB Matt Black

D-SAT1-BC Brushed Chrome, Black Inserts





Telephone Outlets - Master Outlet

Premium Edge S Telephone outlets essential products for the home or office.

BS EN 6312-2

Certified - intertek

25mm deep

D-BT1M - 1 Gang BT Master Outlet



D-BT1M-BCG Brushed Chrome, Grey Inserts D-BT1M-BC Brushed Chrome, Black Inserts D-BT1M-PCW Polished Chrome

D-BT1M-ABB Antique Brass D-BT1M-MBB Matt Black

-MBB

D-BT1S-BCG Brushed Chrome, Grey Inserts D-BT1S-BC Brushed Chrome. Black Inserts

D-BT1S-PCW Dolished Chrome A

D-BT1S-ABB Antique Brass D-BT1S-MBB Matt Black

D-BT1S - 1 Gang BT Secondary Outlet

Secondary Outlet



Niglon Limited

Unit 1 Highlands Park, Stirling Road, Cranmore Industrial Estate, Shirley, Solihull, West Midlands, B90 4NE

t 0121 711 1990 | f 0121 711 1344 e sales@niglon.co.uk | www.niglon.co.uk

Connect with us:



DECORATIVE RANGE