

niGLON

PROFILE

White Moulded
Wiring Accessories Range



Introducing

The Profile Range

A modern range of ultra slim, smooth-edged, moulded wiring accessories manufactured in bright white Urea.

Profile switches and sockets are ideal for new build or retro fit installations in domestic and commercial environments.

Featuring a gently contoured 4mm faceplate with soft rounded edges - the Profile range offers a modern design manufactured in a robust urea material. Supplied with matching screw cap covers to create a clean finish, manufactured to the latest British Standards and having a 30 year guarantee*, these products will easily stand the test of time.

Now read more about all the features that help make this range stand out from the crowd.



Low Profile with Screw Caps

4mm thick faceplates result in subtle products that will be highly practical in their use but unassuming in their location. The screw caps have a click on action for easy use, adding to the sophisticated look of every faceplate.



USBs

Smart USB socket outlets are able to detect USB devices when charging and adjust the current, turn to standby when device is fully charged and have the ability to protect the devices in the event of an overload.



Complimentary Grid Range

Expand the Profile range even further when utilising the Matrix 20 grid modules, creating limitless bespoke solutions on a single matching faceplate.


Product Features

Unique & Practical



Neons

Where applicable flush red neon indicators have been fitted, giving a clean sophisticated look to the range. The use of neons is unobtrusive in daylight and produces a soft glow in the dark.



Modular Switches

All 10AX light switches are constructed using a highly adaptable modular design, allowing reconfiguration on site, without the need for a full grid system.



Antimicrobial Properties

The Profile range is made from a high grade Urea, which has inherent antimicrobial properties, helping to stop the spread of pathogens such as MRSA, E.Coli, Salmonella and Klebsiella Pneumoniae.



Guarantee

This range is manufactured using high quality electrical components and materials, backed up with a 30 year guarantee*, giving you the confidence that these switches will stand the test of time.


*2 year guarantee on electronic products.

10AX Light Switches

White Urea

Standard of Compliance
BS EN 60669-1


Mounting Boxes
16mm deep (1-2 gang plates)
25mm deep (3-6 gang plates)




P-SP612
1 Gang 2 Way



P-SP622
2 Gang 2 Way




P-SP632
3 Gang 2 Way



P-SP642
4 Gang 2 Way



P-SP662
6 Gang 2 Way



P-SP6INT
1 Gang Intermediate



P-SP6FAN
Fan Isolator



P-SP6BELL
Bell Switch

Dimmer Switches

White Urea

Suitable for mains & low voltage lighting

When using LED lighting check with the manufacturer for compatibility prior to installation.

Standard of Compliance

BS EN 60669-2

Mounting Boxes

35mm deep min

Type

Leading edge



P-DS412P

1 Gang 2 Way 400W Push



P-DS422P

2 Gang 2 Way 400W Push



P-DS432P

3 Gang 2 Way 400W Push



P-DS442P
4 Gang 2 Way 400W Push

Shaver Socket

White Urea


Standard of Compliance

BS EN 61558

230V input with
230V & 115V outlets

Mounting Box

47mm deep



P-DVSS
Shaver Socket 230/115V

13A Fused Connection Units

White Urea

Standard of Compliance
BS 1363 with BS 1362 fuse

Mounting Boxes
25mm deep

Note
*Flex outlet plates are 10mm deep
to allow bottom cable exit



P-FS13

Unswitched Fused Connection Unit



P-FS13N

Unswitched Fused Connection
Unit with Neon Indicator



P-FS13DP

Double Pole Switched Fused
Connection Unit



P-FS13DPN

Double Pole Switched Fused
Connection Unit with Neon Indicator

Key Card Switches

White Urea

Mounting Boxes

10A - 25mm deep

32A - 47mm deep



P-FS13DP-BF*

Double Pole Switched Fused Connection Unit with Optional Flex Outlet in Base



P-FS13DPN-BF*

Double Pole Switched Fused Connection Unit with Neon & Optional Flex Outlet in Base



P-SP6KEY10

10A Key Card Switch



P-SP6KEY32

32A Key Card Switch

Socket Outlets

White Urea

Standard of Compliance
BS 1363

Mounting Boxes
25mm deep
(USB socket outlets require
35mm deep back boxes)

Smart USB

- Standby when device is fully charged
- Detects USB devices & adjusts charge
- Protects devices in the event of an overload

Note
All 2 gang socket outlets have
2 earth terminals as standard



P-S131S

1 Gang Single Pole Switched



P-S131DPS

1 Gang Double Pole Switched



P-S131DPSN

1 Gang Double Pole
Switched with Neon



P-131USB

1 Gang Double Pole Switched with 2.1A USB Port



P-S132DPS Shown

P-S132S 2 Gang Single Pole Switched (Twin Earths)
P-S132DPS 2 Gang Double Pole Switched (Twin Earths)



P-S132DPSN
2 Gang Double Pole Switched with Neons



P-132USB-3
2 Gang Switched with 1 x 2.1A & 1 x 1A USB Ports

45A Double Pole Switches

White Urea

Standard of Compliance
BS EN 60669-1


Mounting Boxes
47mm deep



P-SP45DP
45A Double Pole
Red Rocker Switch



P-SP45DP-WH
45A Double Pole
White Rocker Switch



P-SP45DPN
45A Double Pole Red Rocker
Switch with Neon



P-SP45DPN-WH
45A Double Pole White
Rocker Switch with Neon



P-SP45LDP
45A Double Pole Red Rocker Switch



P-SP45LDP-WH
45A Double Pole White Rocker Switch



P-SP45LDPN
45A Double Pole Red Rocker
Switch with Neon Indicator



P-SP45LDPN-WH
45A Double Pole White Rocker
Switch with Neon Indicator

45A Cooker Control Units

White Urea

Standard of Compliance
BS 4177

Mounting Box
47mm deep



P-CU45

45A Cooker Outlet Plate



P-CC45DP

45A Double Pole Red Rocker Switch
Cooker Control Unit & 13A Socket



P-CC45DP-WH

45A Double Pole Red Rocker Switch
Cooker Control Unit & 13A Socket



P-CC45DPN

45A Double Pole Red Rocker Cooker Control Unit
with Neon Indicator & 13A Socket



P-CC45DPN-WH

45A Double Pole White Rocker Cooker Control Unit
with Neon Indicator & 13A Socket

20A Double Pole Switches

White Urea

Standard of Compliance
BS EN 60669-1

Mounting Boxes
25mm deep


Note
*Flex outlet plates 10mm deep
to allow bottom cable exit



P-SP20DP
20A Double Pole Switch



P-SP20DPN
20A Double Pole Switch
with Neon Indicator



P-SP20DP-BF*
20A Double Pole Switch with Flex Outlet



P-SP20DPN-BF*
20A Double Pole Switch with
Neon Indicator & Flex Outlet

Spacer Frames

White Urea



P-SF1
1 Gang 10mm Spacer Frame



P-SF2
2 Gang 10mm Spacer Frame

20A Flex Outlet, Blanking & Euro Plates

White Urea

Standard of Compliance

BS 5733




P-CU20

20A Flex Outlet Plate
with Front/Bottom Exit



P-BP1

1 Gang Blank Plate




P-BP2

2 Gang Blank Plate



P-MP12

1 Gang Data Plate 2 Modules



P-MP24

2 Gang Data Plate 4 Modules

Telephone & Data Outlets

White Urea

Standard of Compliance

Telephone sockets comply with BS EN 6312-2

Mounting Boxes

Telephone - 25mm deep
Data - 35mm deep



P-BT1-M

1 x Telephone Master Outlet



P-BT1-S

1 x Telephone Secondary Outlet



P-BT2-M

2 x Telephone Master Outlet



P-BT2-S

2 x Telephone Secondary Outlet



P-DS15
1 x Cat. 5 Data Outlet



P-DS25
2 x Cat. 5 Data Outlet



P-DS16
1 x Cat. 6 Data Outlet



P-DS26
2 x Cat. 6 Data Outlet

Co-Axial & Satellite Sockets

White Urea

Standard of Compliance

TV Outlets Comply with BS 3041

Satellite Outlets Comply
with BS EN 50083-2

Mounting Boxes

25mm deep



P-TV1

1 x TV/FM Outlet



P-TV2

2 x TV/FM Outlet



P-TV1-ISO

1 x TV/FM Isolated Outlet



P-TV2-ISO

2 x TV/FM Isolated Outlet



P-SAT1
1 x Satellite Outlet



P-SAT2
2 x Satellite Outlet



P-TV+SAT
1 x TV/FM & 1 x Satellite Outlet



P-SAT1-45
1 x 45° Angled Satellite Outlet

Mounting Pattress

White Urea

Standard of Compliance

BS 5733



P-SPB161

1 Gang 16mm + Earth Terminal Pattress



P-SPB251

1 Gang 25mm Pattress




P-SPB351

1 Gang 35mm Pattress



P-SPB471

1 Gang 47mm + Earth
& Cable Clamp Pattress



P-SPB252
2 Gang 25mm Pattress



P-SPB352
2 Gang 35mm Pattress



P-SPB472
2 Gang 47mm + Earth & Cable Clamp Pattress

10AX Switch Modules

White Urea

Standard of Compliance

BS 60669-1



P-SMINT

Intermediate Switch Module



P-SM12KY

Key Switch Module



P-SM12EL

2 Way Key Switch Module
Marked 'Emergency Lighting'



P-SMDPKY

Double Pole
Key Switch Module



P-SMDPEL

Double Pole Key Switch Module
Marked 'Emergency Lighting'

The Perfect Choice

Create limitless combinations of tailor made solutions to cater for specific installations

Expand the Profile range even further by creating bespoke combinations of grid modules built on a single front plate.



20AX Modules

From Rockers to Secret Key Switches



Fused, Flex Outlet & Blank Modules

Fully Interchangeable Design



Dimmers & Indicator Modules

Adding Even Greater Flexibility



Front Plates

Available in 1 to 8 Gang Options

PROFILE

Wiring Accessories Range



niglon

Unit 1 Highlands Park,
Stirling Road,
Cranmore Industrial Estate,
Shirley, Solihull,
West Midlands
B90 4NE

☎ 0121 711 1990 | 📠 0121 711 1344 | ✉ sales@niglon.co.uk | 🌐 www.niglon.co.uk

E&OE: Images and features shown may differ from the final product. V02