

Outlet Splitters



Part No.	Inlet	Outlets	Amps (A)	Volts (V)	Pin Configuration	IP Rating	Dimensions			Qty
							A (mm)	B (mm)	C (mm)	
57422	1	2	16A	240	2P+E	IP44	183	76	108	1
17484	1	2	16A	240	2P+E	IP67	183	76	108	1
57423	1	3	16A	240	2P+E	IP44	240	223	N/A	1
17485	1	3	16A	240	2P+E	IP67	240	223	N/A	1


Specifications //

- Standard of Compliance - BS EN 60309-1&2
- Housing Material - PA6
- Contacts - Copper Zinc alloy
- Full certification - See page 87

Diagnostic Plugs with LED Display



Read out dial on the reverse of plug.



Part No.	Amps (A)	Volts (V)	Pin Configuration	IP Rating	Qty
CEED16	16A	415	3P+E+N	IP20	1
CEED32	32A	415	3P+E+N	IP20	1



Specifications //

- Standard of Compliance - EN60309-2
- Rating - 400V
- Housing Material - PA6
- Contacts - Copper Zinc alloy
- IP Rating - IP20
- Full certification - See page 87

Display								
L1	✓	✓	✓	✓	L3	L3	L3	L3
L2	✓	✓	✓	✓	L2	L2	L2	L2
L3	✓	✓	✓	✓	L1	L1	L1	L1
N	✓	✓	⚠	⚠	✓	✓	⚠	⚠
PE	✓	⚠	✓	⚠	✓	⚠	✓	⚠

Simultaneous illumination indicated of rotating field left and rotating field right (Also in combination with any other symbol) indicates an error which has to be checked by qualified electrician.