
NiGLON Circuit **Protection**

TPNB16 B Type Boards 125A - 415V AC (Excluding Incomer)



| Technical Specifications | | |
|--------------------------|--------------------------|--|
| Number of Ways | 16 | |
| Amp Rating | 125A - 415V AC | |
| Panel Gauge | 1.2mm | |
| Epoxy finish | RAL 7035 | |
| Dimensions | 406 x 95 x 782mm (WxDxH) | |
| IP Rating | IP2X | |
| Standards of Compliance | BS EN 61439-3 | |
| Certified | intertek (S) | |
| Mounting | Surface | |

| Devices | Recommended Minimum Torque (Nm) | Cable Capacity (mm²) |
|-------------------------|------------------------------------|-------------------------|
| MCBs | 2.0Nm | 25 |
| RCDs/RCCDs | 2.5Nm | 25 |
| RCBOs | 2.0Nm | 16 |
| Main Switch/Incomer | 2.5Nm | 35 |
| Earth/Neutral terminals | 2.5Nm | 16 |
| Bolts/Nuts | 5.0Nm | - |

atalogue, the Supplier O121 /11 1990 omissions within its sales@niglon.co.uk | www.niglon.co.uk

0

E&OE. Whilst every care has been take in ensuring the accuracy of this catalogue, the Sr accepts no liability whatsoever for any eventuality arising from errors or omissions with catalogues, brochures or within any online presence.

۲

H

L1 L2 L3

L1

3

AIN SWITCH

0 OFF

*Image is for illustrative purposes